



Test Report T14398-01-1 Issue 1
ANSI/ISEA Z87.1-2015

CF614 (Clear PC Windows with and without Aluminum Frame)
and Mesh Visors on C1 Crowns
12 March 2020



Approved by:

A handwritten signature in blue ink, reading "Keith E. Whitten".

Keith E. Whitten
Laboratory Manager

Prepared by:

A handwritten signature in blue ink, reading "Cathy Wołoszyn".

Cathy Wołoszyn
Lab Administrator

- a) Reports are issued pursuant to the ICS standard Terms and Conditions agreement.
- b) The contents of this test report are confidential. Reproduction of the report is prohibited except in full, unless approved in writing by ICS Laboratories, Inc.
- c) Unless otherwise indicated, the test results contained in this report apply only to the samples tested and not to lots or batches from which they were taken.
- d) Where applicable, test data provided by subcontractor is uniquely identified in the test report.
- e) Where applicable, test data not covered under our ISO/IEC 17025 Accreditation is uniquely identified in the test report.

WARNING: This Test Report may contain technical data whose export is restricted by the Arms Export Control Act (Title 22, U.S. C., Sec 2751, et seq.) or the Export Administration Act of 1979, as amended, Title 50, U.S.C., App. 2401 et seq. and which may not be exported, released or disclosed to non-U.S. persons (i.e. persons who are not U.S. citizens or lawful permanent residents ["green card" holders]) inside or outside the United States, without first obtaining an export license. Violations of these export laws are subject to severe civil, criminal and administrative penalties.

ICS Laboratories, Inc. • 1072 Industrial Parkway North • Brunswick, Ohio 44212 USA
Phone: 330.220.0515 Fax: 330.220.0516

Date: 12 March 2020
Report: T14398-01-1
Issue: 1
Page: 1 of 7

Objective:

Contract testing to ANSI/ISEA Z87.1-2015 “American National Standard for Occupational and Educational Personal Eye and Face Protection Devices”.

Clause(s): 5. General Requirements
-excluding Markings
6. Impact Protector Requirements - *Clear PC Windows Only*

Samples:

Faceshields

Part Number	Description	Quantity	Sample ID
CF612	Clear PC Window with Aluminum Frame	12	8A
CF612	Clear PC Window	10	8B
C1	Crown	33	-
-	Mesh Visors	10	8C

Date(s) submitted: 25 February 2020

Procedures:

Testing protocols in accord with good laboratory practice were employed for all tests.

All tests were conducted in a standard laboratory atmosphere unless otherwise specified.

Samples were randomly selected from the quantity provided and tested in the as-received condition unless otherwise stated.

Testing procedures as specified within Section 9 of ANSI/ISEA Z87.1-2015 were followed unless noted in results.

When applicable, samples were assessed on medium headform (64mm PD).

Assessment Summary:

Date(s) tested: 09 through 10 March 2020

Mesh Visor samples as assessed meet the requirements of ANSI/ISEA Z87.1-2015 for Standard (Non-Impact Rated) Faceshields.

Clear PC Window samples as assessed meet the requirements of ANSI/ISEA Z87.1-2015 for an Impact Rated Faceshields.

Date: 12 March 2020
Report: T14398-01-1
Issue: 1
Page: 2 of 7

Assessment Summary (Continued):

ANSI/ISEA Z87.1-2015 Requirements	Compliant	Non-Compliant
5. General Requirements		
5.1 Optical Requirements		
5.1.1 Optical Quality	X	
5.1.2 Luminous Transmission (Clear Lenses)	X	
5.1.3 Haze - Clear Lenses Only	X	
5.1.4 Refractive Power, Astigmatism, Resolving Power, Prism and Prism Imbalance for Plano Protectors	X	
5.1.5 Refractive Power, Astigmatism, Prism and Prism Imbalance for Prescription Protectors and Magnifiers	Not applicable	
5.2 Physical Requirements	X	
5.2.1 Drop Ball Impact Resistance - <i>Mesh Visor</i>	X	
5.2.2 Ignition	X	
5.2.3 Corrosion Resistance of Metal Components	Not applicable	
5.2.4 Minimum Coverage Area	X	
5.3 Markings	Excluded	
5.4 Other Requirements	Not applicable	
5.5 Replaceable Lenses	Not applicable	
5.6 Aftermarket Components and Accessories	Not applicable	
6. Impact-Rated Protector Requirements - <i>PC Windows</i>		
6.1 General		
6.1.1 Protectors Marked for Impact Protection		
6.1.2 Frames and Shells	See 6.2.2 and 6.2.3	
6.1.3 Lateral (Side) Coverage	X	
6.2 Impact Requirements		
6.2.1 Protector Acceptance Criteria		
6.2.2 High Mass Impact	X	
6.2.3 High Velocity Impact	X	
6.2.4 Penetration Test (Lens Only)	X	
6.2.5 Prescription Lens Material Qualification	Not applicable	
6.2.6 Prescription Lens Mounting Qualification	Not applicable	
6.2.7 Devices with Lift Fronts	Not applicable	

5.1.1 Optical Quality; Result: Pass

PC Windows are free of striae, bubbles, waves and other visible defects which would impair their optical quality.

5.1.2 Luminous Transmittance (T_v) - ILLA (Clear Lenses)

Sample ID	Left (%)	Right (%)	Left/Right	Pass	Fail
8A-2	91.0	90.7	1.003	X	
Requirement:	$100 \geq T_L \geq 85$		N/A		

5.1.3 Haze - Clear Lens Only

Sample ID	Left (%)	Right (%)	Pass	Fail
8A-2	0.19	0.27	X	
Requirement:	≤ 3			

Measured relative to Illuminate A.

5.1.4 Refractive Power, Astigmatism, Resolving Power, Prism and Prism Imbalance for Plano Protectors

Refractive Power & Astigmatism - Faceshields are exempt

Resolving Power

Sample ID	Pattern Resolved (Yes/No)		Pass	Fail
	Left	Right		
8A-1	Yes	Yes	X	
Requirement:	Resolve Pattern 20			

Tested in a simulated as worn position using a 7mm aperture.

Prism and Prism Imbalance

Sample ID	Prismatic Power (cm/m)		Vertical Imbalance(cm/m)	Horizontal Imbalance(cm/m)	Pass	Fail
	Left	Right				
PC Window with Aluminum Frame						
8A-1	0.10	0.07	<0.05	0.23 Base Out	X	
PC Window						
8B-1	0.14	0.13	<0.05	0.23 Base Out	X	
Requirement:	≤ 0.37		≤ 0.37	Base Out ≤ 0.75 Base In ≤ 0.125		

Date: 12 March 2020
Report: T14398-01-1
Issue: 1
Page: 4 of 7

5.2 **Physical Requirements; Results: Pass**

Protectors are free from projections, sharp edges or other defects which are likely to cause discomfort or injury during use.

5.2.1 **Drop Ball Impact Resistance**

-Mesh Visor

Sample ID	Location	Pass	Fail
8C-7	Left	X	
8C-8	Right	X	
8C-9	Left	X	
8C-10	Right	X	
Protector shall fail if any of the following occur:			
• lens (lens only) fractures • piece fully detached from the inner surface • projectile penetrates the inner surface • lens not retained			

-PC Windows

Exempt; protectors meeting the requirements of 6.2 are exempt from drop ball impact testing

5.2.2 **Ignition; Results: Pass**

Components tested (PC Windows, Mesh Visor and Frame, Headgear (Knob, Ratchet Knob, Ratchet Housing), Sweatband and Crown) did not ignite or continue to glow once the rod is removed.

5.2.4 **Minimum Coverage Area; Result: Pass**

The frames, lens housings or carriers and lens(es) cover in plane view an area of not less than 40 mm (1.57 in.) in width and 33 mm (1.30 in.) in height (elliptical) in front of each eye, centered on the geometrical center of the lens.

6.1.1 Protectors Marked for Impact Protection

Protectors and replaceable components marked for impact protection in accordance with Table 3 shall meet applicable requirements of Section 6.

6.1.2 Frames and Shells

Frames and shells shall meet the requirements for high mass impact and high velocity impact in order to be impact-rated. These components shall be tested as a complete device. For frames and shells to be used with prescription lenses, they shall be fitted with representative test lenses having a nominal plano power and the minimum lens thickness to be used by the manufacturer, in no case less than 2.0mm (0.079in). Frames and shells are exempt from the penetration requirement.

6.1.3 Lateral (Side) Coverage; Result: Pass

When mounted on the medium headform protectors provide continuous lateral coverage (i.e. no openings greater than 1.5mm (0.06 in.) in diameter) from the vertical plane of the lenses tangential to a point not less than 10 mm (0.394 in.) posterior to the corneal plane and not less than 10 mm (0.394 in.) in height above and not less than 10 mm (0.394in.) in height below the horizontal plane centered on the eyes of the headform. The probe does not contact the headform within the defined coverage area.

6.2.1 Protector Acceptance Criteria

When each type test is conducted as indicated in Sections 6.2.2, 6.2.3 and 6.2.4 and, as applicable Section 6.2.6, a complete device shall fail if any of the following occurs:

- any part, fragment or material visible to the unaided eye becomes detached from the inner surface of any complete device, as determined by inspection of the device or of the contact paste;
- fracture;
- penetration of the inner surface either by the projectile passing completely through the lens, frame or housing component, or by rupture of the inner lens surface;
- lens not retained;
- for the high-velocity test, the unaided eye observes any piece adhering to the contact paste, or observes contact paste on the projectile or complete device.

In the case of plano protectors with a prescription lens carrier, contact of the prescription lens carrier with the headform does not constitute a failure.

Date: 12 March 2020
Report: T14398-01-1
Issue: 1
Page: 6 of 7

6.2.2 High Mass Impact

Sample ID	Location	Pass	Fail
PC Window with Aluminum Frame			
8A-3	Right	X	
8A-4	Left	X	
8A-5	Right	X	
8A-6	Left	X	
PC Window			
8B-2	Right	X	
8B-3	Left	X	
8B-4	Right	X	
8B-5	Left	X	

6.2.3 High Velocity Impact

Sample ID	Location	Velocity (ft/sec)	Pass	Fail
PC Window with Aluminum Frame				
8A-7	Right 0°	303.0	X	
8A-8	Right 30°	302.4	X	
8A-9	Right 90° ↑ 10mm	303.0	X	
8A-10	Left 0°	303.0	X	
8A-11	Left 30°	302.8	X	
8A-12	Left 90° ↓ 10mm	303.2	X	
PC Window				
8B-6	Right 0°	300.6	X	
8B-7	Right 30°	302.4	X	
8B-8	Right 90° ↑ 10mm	302.5	X	
8B-9	Left 0°	303.2	X	
8B-10	Left 30°	302.8	X	
8B-11	Left 90° ↓ 10mm	302.9	X	

6.2.4 Penetration Test (Lenses Only)

Sample ID	Location	Pass	Fail
8A-3	Left	X	
8A-4	Right	X	
8A-5	Left	X	
8A-6	Right	X	

Date: 12 March 2020
Report: T14398-01-1
Issue: 1
Page: 7 of 7

Sample Photographs:



TERMS AND CONDITIONS

1. Client acknowledges that ICS Laboratories (ICS) performs testing services only as specified by Client. ICS does not design, warrant, supervise or monitor compliance of products or services except as specifically agreed to in writing. By their very nature, testing, analysis, and other ICS services are limited in scope and subject to expected measurement variability.
2. Client or Client's authorized representative shall be afforded the opportunity to clarify test requests and reasonable access to monitor test work, provisional to protecting the confidentiality of other clients.
3. ICS shall keep documents and information related to Client confidential and will not disclose any such information to third parties without Client permission. ICS will, however, disclose any such information in response to compulsory legal process after providing Client with a copy of such process.
4. ICS Reports apply only to the standards or procedures identified therein and to the sample (s) tested and or inspection (s) made. Test and/or inspection results are not indicative or representative of the qualities of the lot from which the sample was taken or of apparently identical or similar products.
5. ICS Test Reports and their insignia are for the exclusive use of the Client. Reports, in their entirety, may be utilized at the discretion of Clients and/or their authorized agents for purposes including, but not limited to, research & development, recordkeeping, product packaging, educational and promotional materials in various formats, certification, and compliance. As an accredited independent testing laboratory, ICS maintains an interest in preventing the misrepresentation of the contents of its test reports. As such, Clients may NOT use, reproduce or otherwise disseminate excerpted, partial, redacted or otherwise altered ICS test reports without the prior review of such use by ICS and the granting of its written approval. Further, Clients are prohibited from manipulating data and/or extrapolating-from-it statistics or conclusions that contradict or eclipse the empirical results of testing as reflected by the totality of the report. Clients are to refrain from utilizing ICS Test Reports and/or the ICS logo in a manner that suggests any extra-report conclusions are provided and/or endorsed by ICS Laboratories.
6. Any use by Client of ICS's Reports or the information contained therein is conditioned on timely payment of all fees.
7. The name(s) listed as the "Issued to" party on test reports may not reflect the actual entity submitting and/or contracting the assessment.
8. ICS shall retain copies of testing job files (including reports) for a period of at least six (6) years and when applicable, evidentiary test samples for the length of time as deemed appropriate after which time they may be disposed of at management's discretion. If Client requests additional copies of Reports during this period, an additional charge will apply for the preparation and delivery of such reports.
9. Test reports are valid for certification purposes for one year from date of issue, inclusive of retest or variant additions which must be performed within one year of date of issue to avoid full retest.
10. Client is responsible for procuring, at its cost, insurance protecting the value of its property and samples.
11. For the safety of our personnel, Client must advise if samples are known or suspected to contain hazardous substances. Safety Data Sheets must be provided upon request if available.
12. ICS represents that Services shall be performed within the limits agreed with Client, and in a manner consistent with good laboratory practice. NO OTHER REPRESENTATIONS TO CLIENT, EXPRESS OR IMPLIED, AND NO WARRANTY OR GUARANTEE IS INCLUDED OR INTENDED IN THIS AGREEMENT, OR IN ANY OTHER REPORT, OPINION OR DOCUMENT RELATED TO THE SERVICES. ICS DOES NOT GUARANTEE PRODUCT COMPLIANCE OR CERTIFICATION.
13. ICS hereby objects to any conflicting terms contained in any order or acceptance submitted by Client.
14. Schedules are confirmed upon acceptance of quotation. All reasonable efforts will be made to comply with conferred schedule. Guarantees are neither implied nor promised.
15. Certain work may be subcontracted to ICS authorized affiliate laboratories as required or applicable. Client will be made aware of subcontracted work.
16. Client agrees to pay any and all additional costs associated with unexpected or above-standard communications and/or consultations with Client or third parties as designated by Client.
17. Client agrees to pay any and all additional costs for work additional to the original scope of work as agreed to by Client.
18. Client understands and agrees that ICS, in entering into this Contract and by performing services hereunder, does not assume, abridge, abrogate or undertake to discharge any duty or responsibility of Client to any other party or parties. No one other than Client shall have any right to rely on any Report or other representation of conduct of ICS and ICS disclaims any obligations of any nature whatsoever with respect to such person.
19. Client agrees, in consideration of ICS undertaking to perform the test(s) hereunder, to protect, defend and indemnify ICS from any and all claims, damages, expenses either direct or consequential for injuries to persons or property arising out of or in consequence of the performance of the testing, inspection and reporting hereunder and/or the performance of the products tested or inspected hereunder, UNLESS CAUSED BY THE NEGLIGENCE OF ICS.
20. IT IS AGREED THAT IF ICS SHOULD BE FOUND LIABLE FOR ANY LOSSES OR DAMAGES ATTRIBUTABLE TO THE SERVICES HEREUNDER IN ANY RESPECT, ITS LIABILITY SHALL IN NO EVENT EXCEED THE AMOUNT OF THE FEE PAID BY CLIENT FOR SUCH SERVICES AND CLIENT'S SOLE REMEDY AT LAW OR IN EQUITY SHALL BE THE RIGHT TO RECOVER UP TO SUCH AMOUNT.
21. Quotations are valid for 30 days from date of issue. Terms: 30% Laboratory/Testing fees invoiced and payable upon acceptance of quotation. Remaining fees invoiced and payable upon completion of services, 15 days net. Cancelled jobs will be invoiced for work performed and/or set-up costs incurred. Cancelled Purchase Orders are subject to 10% service charge. Shipping costs incurred by ICS will be invoiced at cost +10% handling fee. A minimum USD \$25.00 handling fee will be also invoiced. For shipping costs incurred by Client, ICS will invoice a minimum USD \$25.00 handling fee.
22. In the event that payment is not received within 15 days of invoice date, Client agrees to pay a late payment charge on the unpaid balance equal to 1-1/2% per month or the maximum charge allowed by law, whichever is less, and all costs and expenses, including attorney's fees where recovery of the same is not prohibited by law, incurred by ICS in collecting such invoices.
23. All costs associated with compliance with any subpoena (s) for documents, testimony in a court of law, or for any other purpose relating to work performed by ICS in connection with work performed for that Client, shall be paid by Client. Client shall also pay ICS's then existing standard fee for consulting, deposition and trial testimony and all expenses related thereto.
24. Cancelled/discontinued orders: Client responsible for all administrative and testing charges up to point of cancellation.